



11400 West 47th Street
Minnetonka, MN 55343
(952) 938-7223
Fax (952) 938-8084

Division of Sierra Corporation

March 18, 2009

TK BRIGHT GLAZE

Product Information Statement for LEED New Construction (NC) Version 2.2 Credit Documentation

TK BRIGHT GLAZE is a special methacrylate polymer for curing and sealing decorative concrete and exposed aggregate. BRIGHT GLAZE has a higher viscosity than similar products, which provides for better hold out and more gloss on a single application. BRIGHT GLAZE meets or exceeds the following standards: ASTM C-1315, Type 1, Class A, B, and C; AASHTO Des. M-148-82; Federal Specification TT-C-0800; ASTM C-309; DE CRD-C0300.

Manufacturing Location

Minnetonka, MN

Recycled Content

TK Product Material Management Systems certifies that Bright Glaze is manufactured with 6% of pre-consumer material recycled content from the normal recovery of raw material in manufacturing process.

VOC Content

TK Product Material Management Systems Certifies that the VOC (volatile organic content) of TK-BRIGHT.GLAZE is 672g/l.

Based upon the above information, TK Products Material Systems certifies that TK BRIGHT GLAZE can contribute to the following LEED NC v2.2 Credits:

MR Credits 1.1 & 1.2: Building Reuse: Maintain 75% & 95% of Existing Walls, Floors, & Roof

MR Credits 4.1 & 4.2: Recycled Content: 10% & 20% (post-consumer + ½ pre-consumer)

MR Credits 5.1 & 5.2: Regional Materials: 10% & 20% Extracted, Processed, & Manufactured Regionally

Respectfully,

LEED Administrator
TK Products
Tel: 800-441-2129



LEED is a trade mark of the
US Green Building Council