

APRIL 9, 2009

## **KURE & SEAL WB**

### ***Product Information Statement for LEED® New Construction (NC) Version 2.2 Credit Documentation***

KURE & SEAL WB is a water-borne acrylic membrane-forming polymer for curing and sealing new and existing concrete; and is particularly recommended for use in occupied areas where solvent systems are often objectionable. KURE & SEAL WB meets or exceeds the following standards: ASTM C-309, Type I, Class A & B, AASHTO M-148 Type I, USDA, and is compatible with carpet and resilient tile adhesives.

***TK Products certifies the following information for KURE & SEAL WB:***

#### **Manufacturing Location**

KURE & SEAL WB is manufactured in Minnetonka, MN.

#### **Regional Materials**

75% by weight of KURE & SEAL WB was produced with regionally extracted and processed materials.

#### **Recycled Content**

KURE & SEAL WB is manufactured with 6% of post-consumer material recycled content from the normal recovery of raw material in manufacturing process.

#### **VOC Content**

TK Products certifies that the VOC (volatile organic content) of KURE & SEAL WB is 183g/l.

***Based upon the above information, TK Products certifies that KURE & SEAL WB may contribute to the following LEED NC v2.2 Credits:***

- MR Credits 1.1 & 1.2: Building Reuse: Maintain 75% & 95% of Existing Walls, Floors, & Roof
- MR Credits 4.1 & 4.2: Recycled Content: 10% & 20% (post-consumer + ½ pre-consumer)
- MR Credits 5.1 & 5.2: Regional Materials: 10% & 20% Extracted, Processed, & Manufactured Regionally
- EQ Credit 4.2: Low – Emitting Material: Paints and Coatings (referencing the South Coast Air Quality Management District (SCAQMD) Rule 1113, in effect on January 1, 2004)

Respectfully,



LEED Administrator  
TK Products  
Tel: 800-441-2129

*LEED is a trade mark of the US Green Building Council*