

TK AIRMAX™
Air and Vapor Barriers

www.tkproducts.com


PARAPET DETAIL

TK AIRMAX

TKC-A

Scale 3" = 1'-0"

03/09/2016 01:58 PM



TK AIRMAX™
Air and Vapor Barriers

www.tkproducts.com


PARAPET DETAIL

TK AIRMAX

TKS-A

Scale 3" = 1'-0"

03/11/2016 02:01 PM



TK AIRMAX™
Air and Vapor Barriers

www.tkproducts.com


WALL / FOUNDATION
DETAIL

TK AIRMAX

TKC-B

Scale 3" = 1'-0"

03/11/2016 02:02 PM



TK AIRMAX™
Air and Vapor Barriers

www.tkproducts.com

WALL / FOUNDATION
DETAIL

TK-AIRMAX

TKS-B

Scale 3" = 1'-0"

03/11/2016 02:05 PM

**Mason's scope of work;
use a compatible flashing**

TK AIRMAX FLUID

HEAD

**Mason's scope of work;
use a compatible flashing**

TK AIRMAX FLUID

SILL

TK AIRMAX FLUID

JAMB

TK AIRMAX™
Air and Vapor Barriers

www.tkproducts.com

WINDOW DETAILS

TK AIRMAX

TKC-C

Scale 1 : 5

03/14/2016 2:55 PM

**Drywall or Mason's Scope of Work;
Use a compatible flashing**

TK AIRMAX FLUID

HEAD

**Drywall or Mason's Scope of Work;
Use a compatible flashing**

TK AIRMAX FLUID

SILL

TK AIRMAX FLUID

JAMB

TK AIRMAX™
Air and Vapor Barriers

www.tkproducts.com

WINDOW DETAILS


TK AIRMAX

TKS-C

Scale 1 : 5

03/14/2016 3:24 PM

MASONRY MOVEMENT JOINTS




AIRMAX FLUID APPLIED
AIR BARRIER

**Apply TK SUPER SEAL if
TK-CLIMATE FLASH doesn't
follow contours of substrate**

TK CLIMATE FLASH w/
2" minimum on each side
of gap

BUILDING EXPANSION JOINT



AIRMAX FLUID APPLIED
AIR BARRIER

TK CLIMATE FLASH w/
2" minimum on each side
of gap

TK AIRMAX™
Air and Vapor Barriers


www.tkproducts.com

TK AIRMAX AT
MOVEMENT JOINTS

TK AIRMAX

TKC-D

Scale 1 : 5



AIRMAX FLUID APPLIED
AIR BARRIER

Pre- or Post-Apply
TK CLIMATE FLASH w/
2" minimum on both sides

TK AIRMAX™
Air and Vapor Barriers

www.tkproducts.com


TK AIRMAX AT
BUILDING EXPANSION JOINT

TK-AIRMAX

TKS-D

Scale 3" = 1'-0"

03/11/2016 02:34 PM



TK AIRMAX™
Air and Vapor Barriers

www.tkproducts.com


TK AIRMAX AT
WALL PLANE CHANGE

TK AIRMAX

TKC-E

Scale 3" = 1'-0"

03/11/2016 03:10 PM



TK AIRMAX™
Air and Vapor Barriers

www.tkproducts.com


TK AIRMAX AT BACKUP
TRANSITION

TK AIRMAX

TK-F

Scale

1 : 7



TK AIRMAX™
Air and Vapor Barriers

www.tkproducts.com


PENETRATION DETAIL

TK AIRMAX

TKC-G

Scale 3" = 1'-0"

03/14/2016 09:23 AM



TK AIRMAX™
Air and Vapor Barriers


www.tkproducts.com

PENETRATION DETAIL

TK AIRMAX

TKS-G

Scale 3" = 1'-0"



TK AIRMAX™
Air and Vapor Barriers

www.tkproducts.com


SHELF ANGLE / INTER-STORY
CONNECTION DETAIL

TK AIRMAX

TKC-H

Scale 3" = 1'-0"

03/15/2016 9:53 AM



TK AIRMAX™
Air and Vapor Barriers

www.tkproducts.com


SHELF ANGLE / INTER-STORY
CONNECTION DETAIL

TK AIRMAX

TKS-H

Scale 3" = 1'-0"

03/14/2016 11:42 AM



TK AIRMAX™
Air and Vapor Barriers



www.tkproducts.com

TK AIRMAX AT SUBSTRATE
DEFECT

TK AIRMAX

TK-I

Scale 1 : 7



TK AIRMAX™
Air and Vapor Barriers

www.tkproducts.com


TK AIRMAX INSIDE AND
OUTSIDE CORNER DETAILS

TK-AIRMAX

TK-CRNER

Scale 1 1/2" = 1'-0"

03/14/2016 2:11 PM




IF MORTAR IS
MISSING, APPLY
TK SUPER SEAL

IF MORTAR IS
CONTINUOUS, APPLY
TK FLUID APPLIED
AIR BARRIER

INSIDE CORNER

NOTE: IF MORTAR JOINTS ARE INCOMPLETE, PATCH BY MASON WITH MORTAR, TK SUPER SEAL



OUTSIDE CORNER

TK FLUID APPLIED
AIR BARRIER

TK AIRMAX™
Air and Vapor Barriers

www.tkproducts.com

TK AIRMAX INSIDE AND
OUTSIDE CORNER DETAILS
CMU BACKUP


TK-AIRMAX

TKC-COR

Scale 1 1/2" = 1'-0"

03/14/2016 2:30 PM

WINDOW CAULKED USING APPROVED
COMPATIBLE SEALANT



TK AIRMAX FLUID APPLIED
AT JAMBS TO SPECIFIED DEPTH

TK AIRMAX FLUID

TK AIRMAX


TKC-W

Scale 1 : 5

WINDOW PLAN DETAIL

TK AIRMAX™
Air and Vapor Barriers

www.tkproducts.com



TK AIRMAX	ROUGH WINDOW OPENING AIR BARRIER PLAN DETAIL	
TKC-WR		
Scale	1 : 5	