Date Revised: 11/22/93

Date Printed: 4/3/15

	======================================						
	SIERRA CORP/TK PRODUCTSEMERGENCY PHONE:1-800-424-930011400 WEST 47TH STREETINFORMATION PHONE:(952)938-7223MINNETONKA, MN55343NAME OF PREPARER :Safety Director						
PRODUCT NAME: TK-TRI-MIX PRODUCT CODE: TK-TRI-MIX							
======================================							
PICTOGRAM: GHS05 - CORROSION GHS07 - EXCLAMATION MARK GHS08 - HEALTH HAZARD							
HAZARD CLASS	HAZARD CATEGORY						
ACUTE TOXICITY ACUTE TOXICITY SKIN CORROSION IRRITATION	CATEGORY 4 DERMAL						
TOXIC TO SPECI TOXICITY - SIN	FIC TARGET ORGAN CATEGORY 3 IGLE EXPOSURE						
HAZARD STATEMENTS: H302+H312 Harmful if swallowed or in contact with skin H314 Causes severe skin burns and eye damage H335 May cause respiratory irritation # Chemical(s) which may be considered a cancer hazard by IARC and/or NTP. Refer to section 11 for further information.							
PRECAUTIONARY STATEMENTS:							
PREVENTION: P260	Do not breath dusts/fume/gas/mist/vapors or spray.						
P264	Wash hands and any exposed area thoroughly after handling.						
P270	Do not eat, drink or smoke while using this product.						
P271	Use only outdoors or in well-ventilated area.						
P280 protection/fac	Wear protective impervious gloves/ OSHA approved eye						
p1000001011, 100							
RESPONSE:							
P301+P310	If swallowed: Immediately call a Poison Center / doctor.						
P301+P330+P331 P302+P350	If swallowed: Rinse mouth. Do NOT induce vomiting.						
P302+P350 P304+P340	If on skin: Wash with plenty of soap and water. If inhaled: Remove person to fresh air and keep comfortable for						
breathing.	II Innaled. Remove person to fresh all and keep comfortable for						
-	If in eyes: Rinse cautiously with water for several minutes.						
	lenses, if present and easy to do. Continue rinsing.						
P310	Immediately call a POISON CENTER/doctor/ emergency responder.						
P312	Call a POISON CENTER/doctor if you feel unwell.						
P321	Specific treatment (see on this label)						
P330	Rinse mouth.						
P363	Wash contaminated clothing before reuse.						
STORAGE :							
P403+P233	Store in a well-ventilated place. Keep container tightly closed.						
P405	Store locked up.						

Date Revised: 11/22/93

Date Printed: 4/3/15

DISPOSAL:

P501 Store separately. Dispose of contents/ container in accordance with local/ regional/national /international regulations.

====== SECTION 3	B - COMPOSITION/	INFORMATION O WEIGHT	N INGREDIENTS ====================================
COMPONENT	CAS NUMBER	PERCENT	OSHA PEL ACGIH TLV OTHER
#* Microcrystalline Silica (Quartz)	14808-60-7	52.0	
			10 MG/M3 0.05 MG/M3
Portland Cement	68997-15-1	25-50	
			15 MG/M3 10 MG/M3 NUISANCE DUST
Calcium Carbonate	1317-65-3	10-25	
			15 MG/M3 10 MG/M3 NUISANCE DUST

* Chemical(s) that are chronic health hazards. Refer to section 3 for further information.

PRIMARY ROUTES OF EXPOSURE:

Skin contact, eye contact, and inhalation.

EFFECTS OF ACUTE EXPOSURE:

EYES: Direct contact with eyes may cause irritation.

SKIN: Prolonged or repeated contact may cause irritation.INHALATION: Brief exposures to nuisance dust

concentrations above the 8-hour recommended TLV should pose no acute health problems.

INGESTION: Not an anticipated route of exposure. Small amounts are not expected to be harmful.

CHRONIC HEALTH EFFECTS:

Although some components may indicate chronic exposure effects, no effects are anticipated under normal use conditions due to the relatively low proportion in the total mixture.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:

No known effects on other illnesses.

EXECUTE: EXECUTE: EXECUT: EXECUT: EXECUTE: EXECUTE: EXECUT: EXECU

SKIN CONTACT: Wash contaminated area with soap and water. Remove and launder contaminated clothing. INGESTION: If a large amount is ingested, give water or milk and induce vomitting. Seek medical attention. INHALATION: Remove victim to fresh air and provide oxygen if breathing is difficult. If breathing has stopped administer artificial respiration. Seek medical attention if condition persists.

	SECTION	5	- FIRE	AND	EXPLOSION	HAZARD	DATA	
FLASH POINT:					METHOD USED: 1	n/a		
FLAMMABLE LIMITS IN AIR BY	VOLUME- LOWE	R: r	n/a			UPPER	: n/a	

EXTINGUISHING MEDIA:

This product is not a fire hazard in powder or slurry form, special fire fighting procedures or extinguishing media are not applicable

SPECIAL FIREFIGHTING PROCEDURES:

None.

UNUSUAL FIRE AND EXPLOSION HAZARDS:

None known.

This material is not classified as a hazardous waste, substance or toxic pollutant. Use normal waste disposal procedures which are in compliance with federal, state and local regulations.

HANDLING INFORMATION:

Employees who come in contact with this material must be trained in accordance to 1910.1200 of the Hazard Communicatin Standard. Wear chemical resistant gloves and protective clothing to minimize contact. The use of respiratory

Date Printed: 4/3/15

Date Revised: 11/22/93

protection is advised when spraying because of mist and dust overspray.

STORAGE INFORMATION:

No special requirements.OTHER PRECAUTIONS:

All empty containers should be disposed of in an evironmentally safe manner in accordance with all governmental regulations.

RESPIRATORY PROTECTION:

No special requirements under normal use conditions. In confined areas, or ares with poor ventilation, engineering controls should be used to minimize exposure. Use NIOSH/MSHA approved respirator if conditions warrant.

VENTILATION:

General room ventilation is adequate.

PROTECTIVE GLOVES:

Prevent prolonged or repeated contact by wearing chemical resistant gloves and other appropriate protective clothing. Launder contaminated clothing before reuse.

EYE PROTECTION:

Wear safety glasses to reduce eye contact potential. Chemical safety goggles (ANSI Z87.1 or approved equivalent) are appropriate if splashing is likely. Eye washes must be available where eye contact can occur.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT:

A source of clean water should be available for flushing eyes and skin. Showers should be available if larger spills are possible.

WORK/HYGIENIC PRACTICES:

Efforts should be made to minimize contact and spills. Always wash hands before eating, drinking, or smoking. Clean up spills promptly. Follow OSHA and company guidlines.

ODOR: Odorless. SPECIFIC GRAVITY (H2O=1): 2.81 BOILING RANGE: n/a COATING V.O.C.: 0 g/l (0.0 lb/gl)

SOLUBILITY IN WATER: Insoluble/Negligible VAPOR DENSITY: n/a EVAPORATION RATE: n/a

STABILITY:

Stable under normal conditions and handling. CONDITIONS TO AVOID: None known INCOMPATIBILITY (MATERIALS TO AVOID): None known. HAZARDOUS DECOMPOSITION OR BYPRODUCTS:

______ ON DIFFICIENT ON DIFFICIDUCID.

Reacts with acids to liberate Carbon Dioxide. HAZARDOUS POLYMERIZATION:

Will not occur.

SENSITIZATION:

None known.

CARCINOGENICITY:

The indicated chemical(s) is listed by ICGIH, NTP, or OSHA as a known human carcinogen (See section 2). IARC has classified respirable crystalline silica in the form of quartz or cristobalite as a group 1 carcinogen. NTP classifies respirable crystalline silica as "reasonably anticipated to be a carcinogen". Because this product is a free flowing liquid, dust inhalation is not an expected route of exposure.

REPRODUCTIVE TOXICITY:

There is no data available to indicate any components present at greater than 0.1% may present reproductive toxicity. **TERATOGENICITY (BIRTH DEFECTS)**:

There is no data available to indicate any components present at greater than 0.1% may cause birth defects.

MUTAGENICITY:

There is no data to indicate that any component present at greater than 0.1% will alter DNA.

ENVIRONMENTAL DATA:

Although no information is available for this specific product mixture, individual components may by themselves may have

Date Revised: 11/22/93

ecological affects.

SHIPPING NAME: Not regulated.

All ingredients of this product are listed, or are excluded from listing, on the US Toxic Subatances Control Act (TSCA) chemical substance inventory.

This product does not contain a chemical subject to the reporting requirements of SARA Title III, Section 313 (40CFR 372) above de minimis concentrations.

STATE SPECIFIC REQUIREMENTS:

This product contains a chemical(s) known to the state of California to cause cancer, birth defects or reproductive harm, which are subject to the requirements of California Proposition 65. This product contains Crystalline Silica, which when in the respirable form is a chemical known to the state of California to cause cancer, subject to the requirements of California Proposition 65.

.

STATE LISTED COMPONENTS CAS NUMBER STATE CODE

	=======SECTION	16	-	OTHER	INFORMATION	
REVISION DATE:	11/22/93					
HMIS CODES: H	F	R		I	2	
0	0	0				